IN 2016, 10,292 LATINOS WERE NEWLY DIAGNOSED WITH HIV IN THE U.S.

— that is approximately —



LATINOS REPRESENT 18% OF THE U.S. POPULATION IN 2016

— but account for —



23.6% of all new AIDS diagnoses


1 IN 6 LATINOS LIVING WITH HIV ARE UNAWARE THEY HAVE IT



Latinos who are unaware cannot take advantage of HIV treatment and may unknowingly transmit HIV to others.

58% OF LATINOS 18 YEARS OLD AND OVER HAVE NEVER BEEN TESTED FOR HIV IN THEIR LIFETIME

58%




42%

Prep (a daily pill to prevent hiv) IS DISPROPORTIONALLY REACHING LATINOS




48% OF LATINOS LIVING WITH HIV TAKE THEIR MEDICATION AS PRESCRIBED & HAVE ACHIEVED AN UNDETECTABLE VIRAL LOAD; THEREFORE CANNOT TRANSMIT HIV TO SEXUAL PARTNERS

(undetectable equals untransmittable)



AMONG LATINOS IN 2016, GAY AND BISEXUAL MEN ACCOUNT FOR 75% OF THE NEW HIV CASES. CIS AND TRANS LATINA **WOMEN AND HETEROSEXUAL** MEN MAKE UP THE **REMAINING 25%**



43% OF LATINOS DIAGNOSED WITH HIV WERE FOREIGN-BORN; AMONG THESE, 66% WERE GAY & BISEXUAL MEN (2008-2013)

57%
Born in the U.S.

43%
Foreigborn
were gay & bisexual men